



Letter Of Intent (LOI) of Tender ID: 5696

Print

Go Back To Dashboard

Date: 12-Oct-2020

To

M/S N.S TSHONGKHANG

UGYEN WANGCHUK TSHONGKHANG

This is to notify you that, it is our intention to award the contract for your bid for execution of the **"Supply of Plumbing and Water Supply Equipment"**, Identification Reference No. **"5696"** for the Contract Price of **Nu. 663352.000 (SIX HUNDRED SIXTY THREE THOUSAND THREE HUNDRED FIFTY TWO POINT ZERO ZERO ZERO)** as corrected and modified in accordance with the Instructions to Bidders. Winners of items are shown below

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
1	Blade, hacksaw single side IS2594:1976 Ludhana, Equivalent	341	M/S N.S TSHONGKHANG	15.000	15.000
2	End Plug 15mm dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	368	UGYEN WANGCHUK TSHONGKHANG	15.000	15.000
3	Blow Lamp, IS2594:1976 Ludhana, Equivalent	339	UGYEN WANGCHUK TSHONGKHANG	25.000	25.000
4	Hacksaw Blade, Double, IS2594:1976 Ludhana, Equivalent	340	M/S N.S TSHONGKHANG	25.000	25.000
5	15mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	34	M/S N.S TSHONGKHANG	35.000	35.000
6	Wire Mesh Chicken 23SWG, hexagonal 15mm, 11 by 2 inch full twist double string at side, width 1 metre in rolls of 25m	111	M/S N.S TSHONGKHANG	35.000	35.000
7	15mm dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	362	M/S N.S TSHONGKHANG	45.000	45.000
8	M. Seal Standard quality	397	UGYEN WANGCHUK TSHONGKHANG	45.000	45.000
9	white Plastic Sheet 100GSM Standard quality	398	UGYEN WANGCHUK TSHONGKHANG	50.000	50.000
10	Rebar 8mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	106	UGYEN WANGCHUK TSHONGKHANG	55.000	55.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
11	Rebar 10mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	107	UGYEN WANGCHUK TSHONGKHANG	55.000	55.000
12	32mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	47	M/S N.S TSHONGKHANG	55.000	55.000
13	15mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	50	M/S N.S TSHONGKHANG	55.000	55.000
14	40mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	46	M/S N.S TSHONGKHANG	60.000	60.000
15	20mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	33	M/S N.S TSHONGKHANG	60.000	60.000
16	15mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	59	M/S N.S TSHONGKHANG	65.000	65.000
17	Water Proof Tarpauline 18 x 24 feet Standard quality	396	M/S N.S TSHONGKHANG	65.000	65.000
18	Mason Thread, ball TATA, Equivalent	392	UGYEN WANGCHUK TSHONGKHANG	65.000	65.000
19	25mm dia G I Nipple Hexogonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	366	M/S N.S TSHONGKHANG	65.000	65.000
20	3 by 4 inch dia G I Nipple Hexogonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	363	M/S N.S TSHONGKHANG	65.000	65.000
21	Mason trowel 2 inch Standard Quality	406	M/S N.S TSHONGKHANG	65.000	65.000
22	Pipe Cutter Blade 1 and half inch to 2 inch Ludhana, Equivalent	337	M/S N.S TSHONGKHANG	70.000	70.000
23	20mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	49	M/S N.S TSHONGKHANG	70.000	70.000
24	25mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	32	M/S N.S TSHONGKHANG	75.000	75.000
25	25mm dia G I Nipple Hexogonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	364	M/S N.S TSHONGKHANG	75.000	75.000
26	Nails 4 inch Galvanized wire nails sharpened rust free	104	M/S N.S TSHONGKHANG	77.000	77.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
27	32mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	31	M/S N.S TSHONGKHANG	80.000	80.000
28	G I Elbow 15mm IS 1879, 1987 SQCA approved brands, heavy duty	23	M/S N.S TSHONGKHANG	80.000	80.000
29	Wire, GI binding gauge 22 SWG in roll of 1kg standard quality	110	UGYEN WANGCHUK TSHONGKHANG	85.000	85.000
30	Triangular File 5 inch TATA, Equivalent	393	UGYEN WANGCHUK TSHONGKHANG	85.000	85.000
31	Mason trowel 3 inch Standard Quality	407	M/S N.S TSHONGKHANG	85.000	85.000
32	Half round file 5 inch TATA, Equivalent	394	M/S N.S TSHONGKHANG	90.000	90.000
33	Mason trowel 3 inch to 6 inch TATA, Equivalent	390	M/S N.S TSHONGKHANG	90.000	90.000
34	Pipe Cutter Blade 2 and half inch to 3 inch Ludhana, Equivalent	338	M/S N.S TSHONGKHANG	90.000	90.000
35	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	30	M/S N.S TSHONGKHANG	90.000	90.000
36	20mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	58	M/S N.S TSHONGKHANG	90.000	90.000
37	20 x 15mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	41	M/S N.S TSHONGKHANG	90.000	90.000
38	G I Elbow 20mm IS 1879, 1987 SQCA approved brands, heavy duty	22	M/S N.S TSHONGKHANG	95.000	95.000
39	Wire, Plain guage 4mm 8SWG, with light galvanized coating In rolls of 40 kgs, weight tolerance of +3kg	113	UGYEN WANGCHUK TSHONGKHANG	95.000	95.000
40	Nails U, SWG H=35mm, W-10mm sharpened Galvanized wire nails sharpened	103	M/S N.S TSHONGKHANG	95.000	95.000
41	50mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	29	M/S N.S TSHONGKHANG	110.000	110.000
42	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA heavy duty, approved brands, 15mm dia	145	UGYEN WANGCHUK TSHONGKHANG	115.000	115.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
43	65mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	28	M/S N.S TSHONGKHANG	120.000	120.000
44	G I Elbow 25mm IS 1879, 1987 SQCA approved brands, heavy duty	21	M/S N.S TSHONGKHANG	120.000	120.000
45	25mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	48	M/S N.S TSHONGKHANG	120.000	120.000
46	25 x 20mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	40	M/S N.S TSHONGKHANG	120.000	120.000
47	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	121	UGYEN WANGCHUK TSHONGKHANG	120.000	120.000
48	15mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	78	M/S N.S TSHONGKHANG	120.000	120.000
49	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	365	M/S N.S TSHONGKHANG	120.000	120.000
50	20 x 20 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	67	M/S N.S TSHONGKHANG	130.000	130.000
51	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	127	UGYEN WANGCHUK TSHONGKHANG	130.000	130.000
52	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	128	UGYEN WANGCHUK TSHONGKHANG	130.000	130.000
53	50mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	45	M/S N.S TSHONGKHANG	130.000	130.000
54	75 mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	27	M/S N.S TSHONGKHANG	140.000	140.000
55	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brand, 15mm dia	129	UGYEN WANGCHUK TSHONGKHANG	140.000	140.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
56	End Plug 3 by 4 inch dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	369	M/S N.S TSHONGKHANG	150.000	150.000
57	G I Chain Link Mesh 4mm 8swg x 50mm	374	M/S N.S TSHONGKHANG	150.000	150.000
58	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	119	UGYEN WANGCHUK TSHONGKHANG	160.000	160.000
59	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 20mm dia	120	UGYEN WANGCHUK TSHONGKHANG	160.000	160.000
60	20mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	77	M/S N.S TSHONGKHANG	160.000	160.000
61	90mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	26	M/S N.S TSHONGKHANG	160.000	160.000
62	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	161	UGYEN WANGCHUK TSHONGKHANG	160.000	160.000
63	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 25mm dia	143	UGYEN WANGCHUK TSHONGKHANG	170.000	170.000
64	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 20mm dia	144	UGYEN WANGCHUK TSHONGKHANG	170.000	170.000
65	100mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	25	M/S N.S TSHONGKHANG	180.000	180.000
66	25 x 25 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	66	M/S N.S TSHONGKHANG	180.000	180.000
67	Plier Taparia, equivalent	410	M/S N.S TSHONGKHANG	180.000	180.000
68	Core wip, coconut rope Strong and thick	411	UGYEN WANGCHUK TSHONGKHANG	180.000	180.000
69	32 x 25mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	39	M/S N.S TSHONGKHANG	190.000	190.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
70	25mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	57	UGYEN WANGCHUK TSHONGKHANG	190.000	190.000
71	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	137	UGYEN WANGCHUK TSHONGKHANG	190.000	190.000
72	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	151	UGYEN WANGCHUK TSHONGKHANG	195.000	195.000
73	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	152	UGYEN WANGCHUK TSHONGKHANG	195.000	195.000
74	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	117	UGYEN WANGCHUK TSHONGKHANG	195.000	195.000
75	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	118	UGYEN WANGCHUK TSHONGKHANG	195.000	195.000
76	15mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	7	M/S N.S TSHONGKHANG	215.000	215.000
77	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	125	UGYEN WANGCHUK TSHONGKHANG	220.000	220.000
78	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	126	UGYEN WANGCHUK TSHONGKHANG	220.000	220.000
79	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	185	UGYEN WANGCHUK TSHONGKHANG	220.000	220.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
80	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	194	UGYEN WANGCHUK TSHONGKHANG	225.000	225.000
81	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands ,15mm dia	169	UGYEN WANGCHUK TSHONGKHANG	225.000	225.000
82	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	177	UGYEN WANGCHUK TSHONGKHANG	230.000	230.000
83	25 x 25 x 3 by 4mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	65	M/S N.S TSHONGKHANG	230.000	230.000
84	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	159	UGYEN WANGCHUK TSHONGKHANG	235.000	235.000
85	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	160	UGYEN WANGCHUK TSHONGKHANG	235.000	235.000
86	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	135	UGYEN WANGCHUK TSHONGKHANG	235.000	235.000
87	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	136	UGYEN WANGCHUK TSHONGKHANG	235.000	235.000
88	Sickle large TATA, Equivalent	389	M/S N.S TSHONGKHANG	245.000	245.000
89	Plastic Tarpauline 18 x 24 feet Standard quality	395	M/S N.S TSHONGKHANG	250.000	250.000
90	Claw Hammer 0.5kg TATA, Equivalent	391	M/S N.S TSHONGKHANG	250.000	250.000
91	Chiseling Hammer 0.5kg TATA, Equivalent	387	M/S N.S TSHONGKHANG	250.000	250.000
92	GI Bend half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	355	M/S N.S TSHONGKHANG	250.000	250.000
93	Die Bit half inch to 1 inch Ludhana, Equivalent	344	M/S N.S TSHONGKHANG	250.000	250.000
94	Hacksaw Frame Ludhana, Equivalent	342	M/S N.S TSHONGKHANG	250.000	250.000
95	Hussion Jute Strong and thick	412	UGYEN WANGCHUK TSHONGKHANG	250.000	250.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
96	Taflon Cover standard quality	413	M/S N.S TSHONGKHANG	250.000	250.000
97	Thermochrome standard quality	414	M/S N.S TSHONGKHANG	250.000	250.000
98	Lock and Key Bravo, equivalent	400	M/S N.S TSHONGKHANG	250.000	250.000
99	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	133	UGYEN WANGCHUK TSHONGKHANG	250.000	250.000
100	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	134	UGYEN WANGCHUK TSHONGKHANG	250.000	250.000
101	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	153	UGYEN WANGCHUK TSHONGKHANG	255.000	255.000
102	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	167	UGYEN WANGCHUK TSHONGKHANG	255.000	255.000
103	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	168	UGYEN WANGCHUK TSHONGKHANG	255.000	255.000
104	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	202	UGYEN WANGCHUK TSHONGKHANG	255.000	255.000
105	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	175	UGYEN WANGCHUK TSHONGKHANG	260.000	260.000
106	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	176	UGYEN WANGCHUK TSHONGKHANG	260.000	260.000
107	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	116	UGYEN WANGCHUK TSHONGKHANG	260.000	260.000
108	65mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	44	M/S N.S TSHONGKHANG	270.000	270.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
109	20mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	6	M/S N.S TSHONGKHANG	275.000	275.000
110	3 by 4 inch dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	4	M/S N.S TSHONGKHANG	275.000	275.000
111	25mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	76	M/S N.S TSHONGKHANG	280.000	280.000
112	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	141	UGYEN WANGCHUK TSHONGKHANG	280.000	280.000
113	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 32mm dia	142	UGYEN WANGCHUK TSHONGKHANG	280.000	280.000
114	Sly Wrench Taparia, equivalent	409	M/S N.S TSHONGKHANG	280.000	280.000
115	Spade 1.4kg TATA, Equivalent	382	M/S N.S TSHONGKHANG	280.000	280.000
116	Mason Hammer 0.5kg TATA, Equivalent	385	M/S N.S TSHONGKHANG	290.000	290.000
117	25mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	5	M/S N.S TSHONGKHANG	300.000	300.000
118	32mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	75	M/S N.S TSHONGKHANG	310.000	310.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
119	15mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	90	M/S N.S TSHONGKHANG	320.000	320.000
120	75mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	43	M/S N.S TSHONGKHANG	320.000	320.000
121	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	149	UGYEN WANGCHUK TSHONGKHANG	320.000	320.000
122	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	150	UGYEN WANGCHUK TSHONGKHANG	320.000	320.000
123	GI Bend 2 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	359	M/S N.S TSHONGKHANG	320.000	320.000
124	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	183	UGYEN WANGCHUK TSHONGKHANG	325.000	325.000
125	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	184	UGYEN WANGCHUK TSHONGKHANG	325.000	325.000
126	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 15mm dia	210	UGYEN WANGCHUK TSHONGKHANG	325.000	325.000
127	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	192	UGYEN WANGCHUK TSHONGKHANG	340.000	340.000
128	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	193	UGYEN WANGCHUK TSHONGKHANG	340.000	340.000
129	32 x 32 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	64	M/S N.S TSHONGKHANG	340.000	340.000
130	GI Bend 1 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	358	M/S N.S TSHONGKHANG	340.000	340.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
131	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	157	UGYEN WANGCHUK TSHONGKHANG	345.000	345.000
132	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	158	UGYEN WANGCHUK TSHONGKHANG	345.000	345.000
133	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	132	UGYEN WANGCHUK TSHONGKHANG	345.000	345.000
134	32mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	56	M/S N.S TSHONGKHANG	350.000	350.000
135	90mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	42	M/S N.S TSHONGKHANG	350.000	350.000
136	G I Elbow 32mm IS 1879, 1987 SQCA approved brands, heavy duty	20	M/S N.S TSHONGKHANG	350.000	350.000
137	15mm dia Tap stand regulating valve set with key Heavy duty class I, 1.5MPa IS778-84 SQCA approved brands	92	UGYEN WANGCHUK TSHONGKHANG	350.000	350.000
138	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	124	UGYEN WANGCHUK TSHONGKHANG	350.000	350.000
139	Wheel Grease in half kg pot standard quality	102	M/S N.S TSHONGKHANG	350.000	350.000
140	Mortar Pan, standard TATA, Equivalent	386	M/S N.S TSHONGKHANG	350.000	350.000
141	50mm dia G I Nipple Hexogonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	367	M/S N.S TSHONGKHANG	350.000	350.000
142	Die Bit 1 inch Ludhana, Equivalent	345	M/S N.S TSHONGKHANG	350.000	350.000
143	Die Bit 1 and half inch to 2 inch Ludhana, Equivalent	346	M/S N.S TSHONGKHANG	350.000	350.000
144	15mm dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	353	M/S N.S TSHONGKHANG	350.000	350.000
145	40mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	74	M/S N.S TSHONGKHANG	360.000	360.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
146	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	218	UGYEN WANGCHUK TSHONGKHANG	370.000	370.000
147	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	165	UGYEN WANGCHUK TSHONGKHANG	375.000	375.000
148	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	166	UGYEN WANGCHUK TSHONGKHANG	375.000	375.000
149	15mm dia Brass Tap, Heavy duty, class I 1.5MPa IS778-84 SQCA approved brands	91	M/S N.S TSHONGKHANG	380.000	380.000
150	G I Elbow 40mm IS 1879, 1987 SQCA approved brands, heavy duty	19	M/S N.S TSHONGKHANG	380.000	380.000
151	40 x 32mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	38	M/S N.S TSHONGKHANG	380.000	380.000
152	GI Bend 2 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	360	M/S N.S TSHONGKHANG	380.000	380.000
153	Pickaxe 2.5kg TATA, Equivalent	378	M/S N.S TSHONGKHANG	380.000	380.000
154	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	115	UGYEN WANGCHUK TSHONGKHANG	390.000	390.000
155	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	140	UGYEN WANGCHUK TSHONGKHANG	390.000	390.000
156	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	226	UGYEN WANGCHUK TSHONGKHANG	390.000	390.000
157	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	200	UGYEN WANGCHUK TSHONGKHANG	390.000	390.000
158	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	201	UGYEN WANGCHUK TSHONGKHANG	390.000	390.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
159	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	173	UGYEN WANGCHUK TSHONGKHANG	400.000	400.000
160	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	174	UGYEN WANGCHUK TSHONGKHANG	400.000	400.000
161	40mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	55	M/S N.S TSHONGKHANG	400.000	400.000
162	Quick Cement 1kg pack Np 2 class, 100mm dia	415	UGYEN WANGCHUK TSHONGKHANG	400.000	400.000
163	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	234	UGYEN WANGCHUK TSHONGKHANG	410.000	410.000
164	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	242	UGYEN WANGCHUK TSHONGKHANG	430.000	430.000
165	Pickaxe 3kg TATA, Equivalent	379	M/S N.S TSHONGKHANG	430.000	430.000
166	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	148	UGYEN WANGCHUK TSHONGKHANG	435.000	435.000
167	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	250	UGYEN WANGCHUK TSHONGKHANG	440.000	440.000
168	40 x 40 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	63	M/S N.S TSHONGKHANG	450.000	450.000
169	Wire Mesh full twist double string at side 2mm width 1 metre	112	M/S N.S TSHONGKHANG	450.000	450.000
170	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	123	UGYEN WANGCHUK TSHONGKHANG	450.000	450.000
171	Shovel, Square nose, 1.8kg TATA, Equivalent	380	M/S N.S TSHONGKHANG	450.000	450.000
172	Shovel, Round nose, 1.6kg TATA, Equivalent	381	M/S N.S TSHONGKHANG	450.000	450.000
173	DSF Hammer 3kg TATA, Equivalent	384	M/S N.S TSHONGKHANG	450.000	450.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
174	GI Bend 3 by 4 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	356	M/S N.S TSHONGKHANG	450.000	450.000
175	GI Bend 1 inch dia 90 degree I 1.5MPa IS778- 84 SQCA approved brands	357	M/S N.S TSHONGKHANG	450.000	450.000
176	Pipe Cutter Blade half inch to 1 inch Ludhana, Equivalent	336	UGYEN WANGCHUK TSHONGKHANG	450.000	450.000
177	Mason trowel 6 inch Standard Quality	408	M/S N.S TSHONGKHANG	450.000	450.000
178	50 x 40mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	37	M/S N.S TSHONGKHANG	470.000	470.000
179	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	156	UGYEN WANGCHUK TSHONGKHANG	470.000	470.000
180	50 x 50 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	62	M/S N.S TSHONGKHANG	480.000	480.000
181	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	181	UGYEN WANGCHUK TSHONGKHANG	495.000	495.000
182	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	182	UGYEN WANGCHUK TSHONGKHANG	495.000	495.000
183	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	190	UGYEN WANGCHUK TSHONGKHANG	520.000	520.000
184	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	191	UGYEN WANGCHUK TSHONGKHANG	520.000	520.000
185	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	164	UGYEN WANGCHUK TSHONGKHANG	520.000	520.000
186	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	208	UGYEN WANGCHUK TSHONGKHANG	525.000	525.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
187	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	209	UGYEN WANGCHUK TSHONGKHANG	525.000	525.000
188	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	131	UGYEN WANGCHUK TSHONGKHANG	525.000	525.000
189	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	266	UGYEN WANGCHUK TSHONGKHANG	530.000	530.000
190	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	274	UGYEN WANGCHUK TSHONGKHANG	530.000	530.000
191	40mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	69	M/S N.S TSHONGKHANG	540.000	540.000
192	50mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	54	M/S N.S TSHONGKHANG	550.000	550.000
193	G I Elbow 50mm IS 1879, 1987 SQCA approved brands, heavy duty	18	M/S N.S TSHONGKHANG	550.000	550.000
194	GI Bend 3 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	361	M/S N.S TSHONGKHANG	550.000	550.000
195	RCC Collar Np 2 class, 100mm dia	417	M/S N.S TSHONGKHANG	550.000	550.000
196	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	258	UGYEN WANGCHUK TSHONGKHANG	555.000	555.000
197	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	172	UGYEN WANGCHUK TSHONGKHANG	555.000	555.000
198	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	114	UGYEN WANGCHUK TSHONGKHANG	570.000	570.000
199	50 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	73	UGYEN WANGCHUK TSHONGKHANG	580.000	580.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
200	20mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	89	M/S N.S TSHONGKHANG	580.000	580.000
201	Plain Hessian Jute sheet, 7.5 Oz width 90cm, in roll of 30 meter. Sample available at RWSS Store, Dagana or Phuentsholing	108	M/S N.S TSHONGKHANG	590.000	590.000
202	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	139	UGYEN WANGCHUK TSHONGKHANG	590.000	590.000
203	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	198	UGYEN WANGCHUK TSHONGKHANG	590.000	590.000
204	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	199	UGYEN WANGCHUK TSHONGKHANG	590.000	590.000
205	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	216	UGYEN WANGCHUK TSHONGKHANG	595.000	595.000
206	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	217	UGYEN WANGCHUK TSHONGKHANG	595.000	595.000
207	50mm x 11 by 2 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	12	M/S N.S TSHONGKHANG	630.000	630.000
208	63mm x 2 inch Flange only IS4984 or 87 SQCA approved brands, heavy duty	11	M/S N.S TSHONGKHANG	640.000	640.000
209	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	232	UGYEN WANGCHUK TSHONGKHANG	645.000	645.000
210	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	233	UGYEN WANGCHUK TSHONGKHANG	645.000	645.000
211	G I Elbow 75mm IS 1879, 1987 SQCA approved brands, heavy duty	17	M/S N.S TSHONGKHANG	650.000	650.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
212	65mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	53	M/S N.S TSHONGKHANG	650.000	650.000
213	65 x 65 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	61	M/S N.S TSHONGKHANG	650.000	650.000
214	75 x 50mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	36	M/S N.S TSHONGKHANG	650.000	650.000
215	75 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	72	M/S N.S TSHONGKHANG	650.000	650.000
216	32 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	68	M/S N.S TSHONGKHANG	650.000	650.000
217	RCC Collar Np 2 class, 150mm dia	419	M/S N.S TSHONGKHANG	650.000	650.000
218	Die Bit 2 inch Ludhana, Equivalent	347	M/S N.S TSHONGKHANG	650.000	650.000
219	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	147	UGYEN WANGCHUK TSHONGKHANG	660.000	660.000
220	65mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	70	M/S N.S TSHONGKHANG	680.000	680.000
221	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	122	UGYEN WANGCHUK TSHONGKHANG	690.000	690.000
222	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	180	UGYEN WANGCHUK TSHONGKHANG	690.000	690.000
223	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	224	UGYEN WANGCHUK TSHONGKHANG	700.000	700.000
224	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	225	UGYEN WANGCHUK TSHONGKHANG	700.000	700.000
225	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	248	UGYEN WANGCHUK TSHONGKHANG	705.000	705.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
226	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	249	UGYEN WANGCHUK TSHONGKHANG	705.000	705.000
227	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	308	UGYEN WANGCHUK TSHONGKHANG	730.000	730.000
228	DSF Hammer 5kg TATA, Equivalent	383	M/S N.S TSHONGKHANG	750.000	750.000
229	RCC Collar Np 2 class, 225mm dia	421	M/S N.S TSHONGKHANG	750.000	750.000
230	RCC Collar Np 2 class, 300mm dia	423	M/S N.S TSHONGKHANG	750.000	750.000
231	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	155	UGYEN WANGCHUK TSHONGKHANG	750.000	750.000
232	100 x 75mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	35	M/S N.S TSHONGKHANG	750.000	750.000
233	75 x 75 x 15mm G I Tee Unequal IS 1879, 1992 SQCA approved brands, Medium Duty	60	M/S N.S TSHONGKHANG	750.000	750.000
234	75mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	52	M/S N.S TSHONGKHANG	750.000	750.000
235	90mm x 3 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	10	M/S N.S TSHONGKHANG	750.000	750.000
236	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	130	UGYEN WANGCHUK TSHONGKHANG	760.000	760.000
237	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	206	UGYEN WANGCHUK TSHONGKHANG	770.000	770.000
238	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	207	UGYEN WANGCHUK TSHONGKHANG	770.000	770.000
239	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands ,100mm dia	316	UGYEN WANGCHUK TSHONGKHANG	777.000	777.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
240	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	272	UGYEN WANGCHUK TSHONGKHANG	780.000	780.000
241	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	273	UGYEN WANGCHUK TSHONGKHANG	780.000	780.000
242	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	264	UGYEN WANGCHUK TSHONGKHANG	780.000	780.000
243	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	265	UGYEN WANGCHUK TSHONGKHANG	780.000	780.000
244	Die Bit 2 and half inch to 3 inch Ludhana, Equivalent	348	M/S N.S TSHONGKHANG	780.000	780.000
245	Axe 1.5kg TATA, Equivalent	388	M/S N.S TSHONGKHANG	800.000	800.000
246	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	282	UGYEN WANGCHUK TSHONGKHANG	800.000	800.000
247	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	291	UGYEN WANGCHUK TSHONGKHANG	800.000	800.000
248	RCC Collar Np 2 class, 450mm dia	425	M/S N.S TSHONGKHANG	800.000	800.000
249	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	240	UGYEN WANGCHUK TSHONGKHANG	800.000	800.000
250	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	241	UGYEN WANGCHUK TSHONGKHANG	800.000	800.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
251	75mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	1	M/S N.S TSHONGKHANG	800.000	800.000
252	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	163	UGYEN WANGCHUK TSHONGKHANG	830.000	830.000
253	40mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	3	M/S N.S TSHONGKHANG	850.000	850.000
254	110mm x 4 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	9	M/S N.S TSHONGKHANG	850.000	850.000
255	Brass Union 20mm x half inch SP 57, 1991 SQCA approved brands, heavy duty	16	M/S N.S TSHONGKHANG	850.000	850.000
256	Crowbar 25 x 1650mm TATA, Equivalent	375	M/S N.S TSHONGKHANG	850.000	850.000
257	3 by 4 inch dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	354	M/S N.S TSHONGKHANG	850.000	850.000
258	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	197	UGYEN WANGCHUK TSHONGKHANG	855.000	855.000
259	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	138	UGYEN WANGCHUK TSHONGKHANG	870.000	870.000
260	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	171	UGYEN WANGCHUK TSHONGKHANG	870.000	870.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
261	15mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	86	M/S N.S TSHONGKHANG	880.000	880.000
262	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	256	UGYEN WANGCHUK TSHONGKHANG	888.000	888.000
263	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	257	UGYEN WANGCHUK TSHONGKHANG	888.000	888.000
264	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	314	UGYEN WANGCHUK TSHONGKHANG	888.000	888.000
265	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	315	UGYEN WANGCHUK TSHONGKHANG	888.000	888.000
266	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	214	UGYEN WANGCHUK TSHONGKHANG	899.000	899.000
267	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	215	UGYEN WANGCHUK TSHONGKHANG	899.000	899.000
268	25mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	87	M/S N.S TSHONGKHANG	900.000	900.000
269	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	306	UGYEN WANGCHUK TSHONGKHANG	900.000	900.000
270	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 15mm dia	307	UGYEN WANGCHUK TSHONGKHANG	900.000	900.000
271	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	280	UGYEN WANGCHUK TSHONGKHANG	900.000	900.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
272	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	281	UGYEN WANGCHUK TSHONGKHANG	900.000	900.000
273	Die Bit 3 inch Ludhana, Equivalent	349	M/S N.S TSHONGKHANG	900.000	900.000
274	Wooden flat file Ludhana, Equivalent	351	UGYEN WANGCHUK TSHONGKHANG	950.000	950.000
275	RCC Collar Np 2 class, 600mm dia	427.0	M/S N.S TSHONGKHANG	950.000	950.000
276	Heating Plate 4 inch Standard Quality	404	M/S N.S TSHONGKHANG	950.000	950.000
277	50mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	2	M/S N.S TSHONGKHANG	965.000	965.000
278	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	146	UGYEN WANGCHUK TSHONGKHANG	970.000	970.000
279	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	299	UGYEN WANGCHUK TSHONGKHANG	976.000	976.000
280	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40m dia	230	UGYEN WANGCHUK TSHONGKHANG	980.000	980.000
281	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	231	UGYEN WANGCHUK TSHONGKHANG	980.000	980.000
282	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	304	UGYEN WANGCHUK TSHONGKHANG	999.000	999.000
283	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	323	UGYEN WANGCHUK TSHONGKHANG	999.000	999.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
284	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	289	UGYEN WANGCHUK TSHONGKHANG	999.000	999.000
285	GI Pipe both end threaded, 195cm length toleranc +1cm -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	290	UGYEN WANGCHUK TSHONGKHANG	1005.000	1005.000
286	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	238	UGYEN WANGCHUK TSHONGKHANG	1040.000	1040.000
287	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	239	UGYEN WANGCHUK TSHONGKHANG	1040.000	1040.000
288	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	154	UGYEN WANGCHUK TSHONGKHANG	1050.000	1050.000
289	Pipe Wrench 14 inch Standard Quality	403	M/S N.S TSHONGKHANG	1050.000	1050.000
290	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	246	UGYEN WANGCHUK TSHONGKHANG	1065.000	1065.000
291	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	247	UGYEN WANGCHUK TSHONGKHANG	1065.000	1065.000
292	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	205	UGYEN WANGCHUK TSHONGKHANG	1065.000	1065.000
293	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA heavy duty	179	UGYEN WANGCHUK TSHONGKHANG	1095.000	1095.000
294	Brass Union 32mm x 1 inch SP 57, 1991 SQCA approved brands, heavy duty	15	M/S N.S TSHONGKHANG	1100.000	1100.000
295	32mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	88	M/S N.S TSHONGKHANG	1100.000	1100.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
296	90mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	71	M/S N.S TSHONGKHANG	1100.000	1100.000
297	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	262	UGYEN WANGCHUK TSHONGKHANG	1117.000	1117.000
298	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	263	UGYEN WANGCHUK TSHONGKHANG	1117.000	1117.000
299	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	270	UGYEN WANGCHUK TSHONGKHANG	1117.000	1117.000
300	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	271	UGYEN WANGCHUK TSHONGKHANG	1117.000	1117.000
301	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	279	UGYEN WANGCHUK TSHONGKHANG	1122.000	1122.000
302	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	188	UGYEN WANGCHUK TSHONGKHANG	1135.000	1135.000
303	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 70mm dia	189	UGYEN WANGCHUK TSHONGKHANG	1135.000	1135.000
304	20 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	85	M/S N.S TSHONGKHANG	1150.000	1150.000
305	Crowbar 32 x 1650mm TATA, Equivalent	376	M/S N.S TSHONGKHANG	1150.000	1150.000
306	Heating Plate 6 inch Standard Quality	405	M/S N.S TSHONGKHANG	1150.000	1150.000
307	RCC Collar Np 2 class, 750mm dia	429.0	M/S N.S TSHONGKHANG	1150.000	1150.000
308	RCC Collar Np 2 class, 900mm dia	431.0	M/S N.S TSHONGKHANG	1150.000	1150.000
309	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty,approved brands, 100mm dia	162	UGYEN WANGCHUK TSHONGKHANG	1155.000	1155.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
310	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	254	UGYEN WANGCHUK TSHONGKHANG	1166.000	1166.000
311	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	255	UGYEN WANGCHUK TSHONGKHANG	1190.000	1190.000
312	Brass Union 50mm 11 by 2 inch SP 57, 1991 SQCA approved brands, heavy duty	14	M/S N.S TSHONGKHANG	1200.000	1200.000
313	100mm dia G I End cap with 16mm nut welded IS 1879, 1987 SQCA approved brands, heavy duty	24	M/S N.S TSHONGKHANG	1200.000	1200.000
314	RCC Collar Np 2 class, 1050mm dia	433.0	M/S N.S TSHONGKHANG	1200.000	1200.000
315	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	170	UGYEN WANGCHUK TSHONGKHANG	1230.000	1230.000
316	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	295	UGYEN WANGCHUK TSHONGKHANG	1234.000	1234.000
317	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	296	UGYEN WANGCHUK TSHONGKHANG	1234.000	1234.000
318	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	297	UGYEN WANGCHUK TSHONGKHANG	1234.000	1234.000
319	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	298	UGYEN WANGCHUK TSHONGKHANG	1234.000	1234.000
320	Bench Vice 2inch to 3 inch Ludhana, Equivalent	343	M/S N.S TSHONGKHANG	1250.000	1250.000
321	RCC Collar Np 2 class, 1200mm dia	435.0	M/S N.S TSHONGKHANG	1250.000	1250.000
322	Pipe Wrench 18 inch Standard Quality	401	M/S N.S TSHONGKHANG	1250.000	1250.000
323	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	213	UGYEN WANGCHUK TSHONGKHANG	1260.000	1260.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
324	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	196	UGYEN WANGCHUK TSHONGKHANG	1270.000	1270.000
325	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	287	UGYEN WANGCHUK TSHONGKHANG	1300.000	1300.000
326	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	288	UGYEN WANGCHUK TSHONGKHANG	1300.000	1300.000
327	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	221	UGYEN WANGCHUK TSHONGKHANG	1320.000	1320.000
328	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	229	UGYEN WANGCHUK TSHONGKHANG	1355.000	1355.000
329	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	237	UGYEN WANGCHUK TSHONGKHANG	1440.000	1440.000
330	25mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	84	M/S N.S TSHONGKHANG	1450.000	1450.000
331	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	245	UGYEN WANGCHUK TSHONGKHANG	1490.000	1490.000
332	15mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	99	UGYEN WANGCHUK TSHONGKHANG	1540.000	1540.000
333	90mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	8	UGYEN WANGCHUK TSHONGKHANG	1550.000	1550.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
334	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1987 approved brands, 100mm dia	178	UGYEN WANGCHUK TSHONGKHANG	1555.000	1555.000
335	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	312	UGYEN WANGCHUK TSHONGKHANG	1555.000	1555.000
336	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	313	UGYEN WANGCHUK TSHONGKHANG	1555.000	1555.000
337	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	261	UGYEN WANGCHUK TSHONGKHANG	1557.000	1557.000
338	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	269	UGYEN WANGCHUK TSHONGKHANG	1557.000	1557.000
339	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	277	UGYEN WANGCHUK TSHONGKHANG	1597.000	1597.000
340	Brass Union 63mm 2 inch SP 57, 1991 SQCA approved brands, heavy duty	13	M/S N.S TSHONGKHANG	1600.000	1600.000
341	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	253	UGYEN WANGCHUK TSHONGKHANG	1625.000	1625.000
342	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	186	UGYEN WANGCHUK TSHONGKHANG	1630.000	1630.000
343	20mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	98	M/S N.S TSHONGKHANG	1650.000	1650.000
344	Crowbar 50mm TATA, Equivalent	377	M/S N.S TSHONGKHANG	1650.000	1650.000
345	75mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	187	UGYEN WANGCHUK TSHONGKHANG	1700.000	1700.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
346	GI Pipe both end threaded, 210cm length tolerance +1cm,-1cm, IS 1879: 1987a SQCA approved brands, 25mm dia	305	UGYEN WANGCHUK TSHONGKHANG	1765.000	1765.000
347	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	303	UGYEN WANGCHUK TSHONGKHANG	1765.000	1765.000
348	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	294	UGYEN WANGCHUK TSHONGKHANG	1780.000	1780.000
349	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	195	UGYEN WANGCHUK TSHONGKHANG	1810.000	1810.000
350	Pipe Wrench 36 inch Standard Quality	402	M/S N.S TSHONGKHANG	1850.000	1850.000
351	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	286	UGYEN WANGCHUK TSHONGKHANG	1880.000	1880.000
352	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	302	UGYEN WANGCHUK TSHONGKHANG	1950.000	1950.000
353	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	212	UGYEN WANGCHUK TSHONGKHANG	1970.000	1970.000
354	3 by 4 inch dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	97	M/S N.S TSHONGKHANG	1980.000	1980.000
355	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	222	UGYEN WANGCHUK TSHONGKHANG	2036.000	2036.000
356	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	223	UGYEN WANGCHUK TSHONGKHANG	2036.000	2036.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
357	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	220	UGYEN WANGCHUK TSHONGKHANG	2040.000	2040.000
358	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	228	UGYEN WANGCHUK TSHONGKHANG	2125.000	2125.000
359	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	319	UGYEN WANGCHUK TSHONGKHANG	2132.000	2132.000
360	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	285	UGYEN WANGCHUK TSHONGKHANG	2147.000	2147.000
361	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	321	UGYEN WANGCHUK TSHONGKHANG	2221.000	2221.000
362	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	322	UGYEN WANGCHUK TSHONGKHANG	2222.000	2222.000
363	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	311	UGYEN WANGCHUK TSHONGKHANG	2222.000	2222.000
364	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	440.0	UGYEN WANGCHUK TSHONGKHANG	2222.000	2222.000
365	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	320	UGYEN WANGCHUK TSHONGKHANG	2231.000	2231.000
366	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	236	UGYEN WANGCHUK TSHONGKHANG	2255.000	2255.000
367	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	278	UGYEN WANGCHUK TSHONGKHANG	2313.000	2313.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
368	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	244	UGYEN WANGCHUK TSHONGKHANG	2335.000	2335.000
369	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands ,100mm dia	203	UGYEN WANGCHUK TSHONGKHANG	2385.000	2385.000
370	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	260	UGYEN WANGCHUK TSHONGKHANG	2443.000	2443.000
371	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	268	UGYEN WANGCHUK TSHONGKHANG	2443.000	2443.000
372	Prefab Manhole cover and slab as per PHE drawing and Specifications, Medium Duty	105	M/S N.S TSHONGKHANG	2500.000	2500.000
373	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	276	UGYEN WANGCHUK TSHONGKHANG	2508.000	2508.000
374	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	252	UGYEN WANGCHUK TSHONGKHANG	2550.000	2550.000
375	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	284	UGYEN WANGCHUK TSHONGKHANG	2805.000	2805.000
376	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	211	UGYEN WANGCHUK TSHONGKHANG	2810.000	2810.000
377	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	293	UGYEN WANGCHUK TSHONGKHANG	2845.000	2845.000
378	25mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	96	M/S N.S TSHONGKHANG	2850.000	2850.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
379	half inch valve box key with 3 points sample available at RWSS store, Dagana or Phuentsholing	101	M/S N.S TSHONGKHANG	2900.000	2900.000
380	D I Socket 100mm dia Standard quality, Approved brand	324	UGYEN WANGCHUK TSHONGKHANG	2900.000	2900.000
381	RCC Hume Pipes Np 2 class, 100mm dia	416	M/S N.S TSHONGKHANG	2900.000	2900.000
382	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	219	UGYEN WANGCHUK TSHONGKHANG	2920.000	2920.000
383	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	301	UGYEN WANGCHUK TSHONGKHANG	2931.000	2931.000
384	32mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	83	M/S N.S TSHONGKHANG	2950.000	2950.000
385	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	227	UGYEN WANGCHUK TSHONGKHANG	3019.000	3019.000
386	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	235	UGYEN WANGCHUK TSHONGKHANG	3230.000	3230.000
387	RCC Hume Pipes Np 2 class, 150mm dia	418	M/S N.S TSHONGKHANG	3300.000	3300.000
388	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	310	UGYEN WANGCHUK TSHONGKHANG	3333.000	3333.000
389	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	318	UGYEN WANGCHUK TSHONGKHANG	3333.000	3333.000
390	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	243	UGYEN WANGCHUK TSHONGKHANG	3340.000	3340.000
391	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	259	UGYEN WANGCHUK TSHONGKHANG	3495.000	3495.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
392	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	267	UGYEN WANGCHUK TSHONGKHANG	3495.000	3495.000
393	100mm dia Valve box with end cap GI Pipe of medium duty, Burrs removed, cut edges smoothened with file or grinderm GI thread is clean smooth and greased Endcap and pipe screwed together as per attached drawing or sample available at RWSS store, Dagana or Phuenstsholing	100	M/S N.S TSHONGKHANG	3500.000	3500.000
394	Air release valve half inch SQCA approved brands	93	M/S N.S TSHONGKHANG	3500.000	3500.000
395	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	275	UGYEN WANGCHUK TSHONGKHANG	3585.000	3585.000
396	Barbed wire gauge 12SWG double wired, double barbed 90 degrees angle, every 10cm, galvanized IS: 278/196, in roll of 30kgs weight tolerance +3kg	109	M/S N.S TSHONGKHANG	3600.000	3600.000
397	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	251	UGYEN WANGCHUK TSHONGKHANG	3645.000	3645.000
398	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	300	UGYEN WANGCHUK TSHONGKHANG	3758.000	3758.000
399	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	283	UGYEN WANGCHUK TSHONGKHANG	3775.000	3775.000
400	Pipe Bender Machine half inch to 2 inch Ludhana, Equivalent	334	M/S N.S TSHONGKHANG	3800.000	3800.000
401	RCC Hume Pipes Np 2 class, 300mm dia	422	M/S N.S TSHONGKHANG	3800.000	3800.000
402	40mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	82	M/S N.S TSHONGKHANG	3800.000	3800.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
403	32mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	95	M/S N.S TSHONGKHANG	3900.000	3900.000
404	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	292	UGYEN WANGCHUK TSHONGKHANG	4010.000	4010.000
405	HDPE Water Storage Tank 500L Rabten, Druk	370	UGYEN WANGCHUK TSHONGKHANG	4250.000	4250.000
406	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	309	UGYEN WANGCHUK TSHONGKHANG	4444.000	4444.000
407	Flange washer Standard quality, Approved brand	333	M/S N.S TSHONGKHANG	4500.000	4500.000
408	Ratchet Die set half inch to 1 inch Ludhana, Equivalent	352	M/S N.S TSHONGKHANG	4500.000	4500.000
409	Ratchet Die Set, die bit half inch Ludhana, Equivalent	350	M/S N.S TSHONGKHANG	4500.000	4500.000
410	RCC Hume Pipes Np 2 class, 225mm dia	420	M/S N.S TSHONGKHANG	4500.000	4500.000
411	40mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	94	M/S N.S TSHONGKHANG	4500.000	4500.000
412	Pressure reducing valve 1 and half inch standard quality	438.0	UGYEN WANGCHUK TSHONGKHANG	4532.000	4532.000
413	DI Socket 80mm dia Standard quality, Approved brand	325	UGYEN WANGCHUK TSHONGKHANG	4655.000	4655.000
414	75mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	51	M/S N.S TSHONGKHANG	4800.000	4800.000
415	DI Bend 45 degree 80mm dia Standard quality, Approved brand	327	UGYEN WANGCHUK TSHONGKHANG	5066.000	5066.000
416	50 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	81	M/S N.S TSHONGKHANG	5500.000	5500.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
417	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	317	UGYEN WANGCHUK TSHONGKHANG	5555.000	5555.000
418	Pressure reducing valve 1 inch standard quality	437.0	UGYEN WANGCHUK TSHONGKHANG	5643.000	5643.000
419	DI Bend 45 degree 100mm dia Standard quality, Approved brand	326	UGYEN WANGCHUK TSHONGKHANG	5678.000	5678.000
420	RCC Hume Pipes Np 2 class, 450mm dia	424	M/S N.S TSHONGKHANG	6600.000	6600.000
421	75 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	80	M/S N.S TSHONGKHANG	6800.000	6800.000
422	DI Bend 45 degree 150mm dia Standard quality, Approved brand	328	UGYEN WANGCHUK TSHONGKHANG	6999.000	6999.000
423	HDPE Water Storage Tank 1000L Rabten, Druk	371	UGYEN WANGCHUK TSHONGKHANG	7500.000	7500.000
424	100 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	79	M/S N.S TSHONGKHANG	7500.000	7500.000
425	Pressure reducing valve half inch standard quality	436.0	UGYEN WANGCHUK TSHONGKHANG	7659.000	7659.000
426	DI double flange bend 80mm dia Standard quality, Approved brand	329	UGYEN WANGCHUK TSHONGKHANG	7999.000	7999.000
427	Pipe Bender Machine 2 and half inch to 3 inch Ludhana, Equivalent	335	M/S N.S TSHONGKHANG	8500.000	8500.000
428	Tool Box with tools inside Standard quality	399	M/S N.S TSHONGKHANG	8500.000	8500.000
429	RCC Hume Pipes Np 2 class, 600mm dia	426	M/S N.S TSHONGKHANG	8600.000	8600.000
430	DI Gasket washer 100 mm dia Standard quality, Approved brand	331	UGYEN WANGCHUK TSHONGKHANG	8887.000	8887.000
431	DI Double flange bend 100mm dia Standard quality, Approved brand	330	UGYEN WANGCHUK TSHONGKHANG	8888.000	8888.000
432	90mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	439.0	UGYEN WANGCHUK TSHONGKHANG	8950.000	8950.000
433	DI Gasket washer 80 mm dia Standard quality, Approved brand	332	UGYEN WANGCHUK TSHONGKHANG	9976.000	9976.000

Sl.	Item Name & Description	Item No.	Company	Unit Price (In Nu.) [Excluding Tax & others]	Quoted Amount (In Nu.)
434	RCC Hume Pipes Np 2 class, 750mm dia	428.0	M/S N.S TSHONGKHANG	10100.000	10100.000
435	RCC Hume Pipes Np 2 class, 900mm dia	430.0	M/S N.S TSHONGKHANG	11200.000	11200.000
436	HDPE Water Storage Tank 2000L Rabten, Druk	372	UGYEN WANGCHUK TSHONGKHANG	16000.000	16000.000
437	RCC Hume Pipes Np 2 class, 1050mm dia	432.0	M/S N.S TSHONGKHANG	16100.000	16100.000
438	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	204	UGYEN WANGCHUK TSHONGKHANG	16666.000	16666.000
439	RCC Hume Pipes Np 2 class, 1200mm dia	434.0	M/S N.S TSHONGKHANG	18100.000	18100.000
440	HDPE Water Storage Tank 3000L Rabten, Druk	373	M/S N.S TSHONGKHANG	29500.000	29500.000

After issuance of Letter of Intent, an unsuccessful Bidder shall within three (3) days request to the procuring agency for a debriefing through **debriefing tab in e-GP**. The procuring agency shall provide a response to all unsuccessful Bidders whose request is received within this deadline.

Thanking you,

Kinzang Dorjee

Dzongrab

Dzongkhag Administration Zhemgang

[Home](#) | [About e-GP](#) | [Contact Us](#) | [Terms and Conditions](#) | [e-Learning](#)



Version: 2.2.7