


Ms lock plate detail



NOTE :

1. Locker body shall be made of 20 BG (0.9mm) MS sheets. Back cover can be made of 22 BG (0.75mm) MS sheets.
2. The inside shelves shall also be made of 20 BG sheets. The edges shall be bent 15mm inside on all four sides.
3. The locker door shutters shall be provided with 75mm Steel handles as positioned in the drawing.
4. 75 mm brass tower bolt to be provided on the inside of the left shutter as positioned in the drawing.
5. The locker door shall have locking systems as shown in the drawing.
6. The locker Box shall be finished with one coat of Red Oxide Primer and two or more coats of Synthetic Enamel paint, golden shade (Asian Paints Code-M007, ULTIMA GOLD or similar shades from other brands), by spray painting on the external face including top and bottom surface.
7. The insides of the locker shall be finished with one coat of Red Oxide Primer and two or more coats of off-white enamel paint by spray painting.



2019	HOSTEL LOCKER (SMALL)		
	TITLE: PLAN AND ELEVATION		
HON'BLE SECRETARY MOE	CHIEF ENGINEER	ARCHITECT	ENGINEER
DIRECTOR, DOS	DRAWN BY	SCALE 1:15	DATE 12/12/2011

NOTES:

- ALL DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE.
- ALL DIMENSIONS MEASURE UNFINISHED SURFACES UNLESS SPECIFIED OTHERWISE.
- ALL DIMENSIONS ARE TO BE READ AND NOT SCALED OFF.
- ANY DISCREPANCIES IN DRAWINGS SHOULD IMMEDIATELY BE BROUGHT TO THE NOTICE OF THE SPBD DESIGN TEAM

REVISION	DATE	DRAWING CODE:
Mani Pradhan	Sept. 2019	
		DRAWING NO:
		HL-(S)-01